3000-00-FA/SL by NRMCA

Disclaimer: Reference Use Only This document is not intended to serve as a Health Product Declaration. It is solely provided for reference purposes.

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: (available when published)

CLASSIFICATION: 03 30 00 Cast-in-Place Concrete

PRODUCT DESCRIPTION: National Benchmark average for 1m3 of Ready Mixed Concrete; Compressive strength range 2501-3000 psi (17.25 - 20.68 MPa) and 0-19% Fly Ash and/or Slag.

Section 1: Summary

CONTENT INVENTORY

- Inventory Reporting Format
- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- C Material
- O Product
- Tioduct

Threshold Level © 100 ppm © 1,000 ppm © Per GHS SDS © Other Residuals/Impurities Evaluation Completed in 6 of 6 Materials

Explanation(s) provided for Residuals/Impurities? • Yes • No

Nested Method / Product Threshold

For all contents above the threshold, the n	manufacturer has:
Characterized	• Yes O No
Provided weight and role.	
Screened	⊙ Yes ⊖ No
Provided screening results using HPDC-ap	oproved
methods.	
Identified	• Yes O No
Provided name and CAS RN or other iden	tifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

AGGREGATE [LIMESTONE BM-3dg *QUARTZ* BM-1 | CAN | MAM | GEN] PORTLAND CEMENT [PORTLAND CEMENT LT-P1 | CAN | END | MAM] WATER [WATER (PRIMARY CASRN IS 7732-18-5) BM-4] ACCELERATING ADMIXTURE [WATER (PRIMARY CASRN IS 7732-18-5) BM-4] WATER REDUCING ADMIXTURE [] ADDITIVE 2 []

VOLATILE ORGANIC COMPOUND (VOC) CONTENT VOC Content data is not applicable for this product category. Number of Greenscreen BM-4/BM3 contents ... 3

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No INVENTORY AND SCREENING NOTES:

The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. This HPD was produced using primary information from the manufacturer, including CAS numbers and SDS when needed. Every effort has been made to report the substances in this product by the manufacturer to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- O Yes
- No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2023-08-10 PUBLISHED DATE: Not published EXPIRY DATE: Not published



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

GGREGATE	%: 80.2300				
RODUCT THRESHOLD: 10	00 RESIDUALS AND IMPURITIES EVA Yes	ALUATION COMPL	ETED: MAT	ERIAL TYPE: Geolo rial	ogically Derived
nd impurities are consider /I) is the same as that apprenent of the same of th	IES NOTES: Impurities listed above the three ed following the HPD Best Practice Guidar blied to intentionally added substances, i.e need to be reported on the HPD." Pharos is urities. Aggregates are inert granular materials su sential ingredient in concrete.	nce, 10.02.17, vers ., 100 ppm or 1000 and PubChem (for	sion 1 "The thres 0 ppm. Residual merly TOXNET)	hold applied to Re s and impurities be are the main datab	siduals and Impurit low the declared pases for researchin
LIMESTONE					ID: 1317-65
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE:	2023-08-10 1:29
%: 99.0000	GreenScreen: BM-3dg	RC: UNK	NANO: No	SUBSTANCE I	ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	W	ARNINGS		
None found		13~	No warnii	ngs found on HPD	Priority Hazard Lis
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	N	OTIFICATION		
None found			No lis	stings found on Add	ditional Hazard Lis
limestone are examples)	DTENTIAL RESIDUAL: "Building materials, contain crystalline silica in the form of qua guartz. (MSHA MSDS & Specialty MSDS) - F	artz." (USGS Cryst	alline Silica Prin		-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	21	HAZARDS	SCREENING DATE:	2023-08-10 1:29
%: 0.1000 - 1.0000	GreenScreen: BM-1	RC: UNK	NANO: No S	SUBSTANCE ROLE	: Impurity/Residua

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found	-2	No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Per Ph	aros database quartz =1% mass fraction of limest	one as an impurity.

PORTLAND CEMENT	%: 12.8400	
PRODUCT THRESHOLD: 100	RESIDUALS AND IMPURITIES EVALUATION COMPLETED:	MATERIAL TYPE: Geologically Derived
ppm	Yes	Material

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." Pharos and PubChem (formerly TOXNET) are the main databases for researching potential residuals and impurities.

OTHER MATERIAL NOTES: TSCA Definition 2008: Portland cement is a mixture of chemical substances produced by burning or sintering at high temperatures (greater than 1200.degree.C (2192.degree.F)) raw materials which are predominantly calcium carbonate, aluminum oxide, silica, and iron oxide. The chemical substances which are manufactured are confined in a crystalline mass. This category includes all of the chemical substances specified below when they are intentionally manufactured in the production of Portland cement. The primary members of the category are Ca2SiO4 and Ca3SiO5. Other compounds listed below may also be included in combination with these primary substances.: CaAl2O4; CaAl4O7; CaAl12O1; Ca3Al2O6; Ca12Al14O33; CaO; Ca2Fe2O5; Ca2Al2SiO7; Ca4Al6SO16; Ca12Al14Cl2O32; Ca12Al14F2O32; Ca4Al2Fe2O10; Ca6A14Fe2O15 (National Library of Medicine Record)-Per Pharos database.

D SCREENING DATE: 2023-08-10 1:	HAZARD	ry	Pharos Chemical and Materials Libra	AZARD DATA SOURCE:
SUBSTANCE ROLE: Binder	NANO: No	RC: UNK	GreenScreen: LT-P1	6: 90.0000 - 95.0000
	WARNINGS		LIST NAME AND SOURCE	HAZARD TYPE
oup 3B - Evidence of carcinogenic eff nt for classification			МАК	CAN
crine Disruptor	Potential Endocri	Disruptors	TEDX - Potential Endocrine I	END
damage to organs through prolonged sure [Specific target organs/systemic ng repeated exposure - Category 1]	repeated exposur	(3)	GHS - Japan	МАМ
	NOTIFICATION		LIST NAME AND SOURCE	ADDITIONAL LISTINGS
listings found on Additional Hazard I	No lis			None found

WATER	%: 6.9100	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Water

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." Pharos and PubChem (formerly TOXNET) are the main databases for researching potential residuals and impurities.

OTHER MATERIAL NOTES: No residuals or impurities are registered for this substance Per Pharos database.



WATER (PRIMARY CASR	N IS 7732-18-5)	101			ID: 1371582-34-1
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ary	HAZARD S	SCREENING DATE:	2023-08-10 1:29:58
%: 100.0000	GreenScreen: BM-4	RC: UNK	NANO: No	SUBSTANCE R	OLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnir	ngs found on HPD F	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European (EU EC)	Commission	EU - REACH Exem Exempted from RI safety	nptions EACH Annex IV listi	ng due to intrinsic
SUBSTANCE NOTES: No impurities are available for this substance Per Pharos database.					



ACCELERATING ADMIXTURE	%: 0.0200		

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." Pharos and PubChem (formerly TOXNET) are the main databases for researching potential residuals and impurities.

OTHER MATERIAL NOTES: To complete this HPD peer-reviewed quality data has been used to fill in the gaps. Per the SDS there are no substances listed as hazardous in the additive. The Quartz or Pharos database and the European Federation of Concrete Admixtures Association (EFCA)- set accelerators EPD have been used for primary information. Per the EPD: The main raw materials used for set accelerators are aluminium sulphate, formates, fluorides, aluminates, amorphous aluminium hydroxide, carbonates, silicates and ethanolamines. Defoaming agents and preservatives are added as minor components and auxiliaries. Active substance concentration lies between 10 and 100% by mass. The typical dosage volumes for use in concrete are between 1 and 3% by mass, in terms of the cement weight. Shotcrete accelerators are used in doses of 3 to 12% by mass in relation to the cement weight.

The products covered by this EPD typically contain the following proportions by mass of constituent materials and auxiliaries referred to: Aluminium sulphate*: max. 70 % Formates*: max. 15 % Aluminates*: max. 50 % Amorphous aluminium hydroxides*: max. 20 % Citrates*: max. 50 % Silicates*: max. 2 % Sulfates*: max. 10 % Ethanolamines*: max. 10 % Nitrates*: max. 50 % Org. acids*: max. 10 % Thiocyanates*: max. 25 % Additives: max. 5 % Water: approx. 30 - 90 %.

WATER (PRIMARY CASRN IS 7732	2-18-5)				ID: 652133-48-7
HAZARD DATA SOURCE: Pharos	Chemical and Materials Library		HAZARD S	CREENING DATE:	2023-08-10 1:29:59
%: 80.0000 - 90.0000	GreenScreen: BM-4	RC: UNK	NANO: No	SUBSTANCE RO	OLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE	N I	ARNINGS		
None found	Ŋ	0.	No warning	gs found on HPD P	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	Ν	OTIFICATION		
EXEMPT	European Union / European Con (EU EC)	nmission E	U - REACH Exem	otions	
			xempted from RE	ACH Annex IV listir	ng due to intrinsic
SUBSTANCE NOTES: Percentage	es specified are typical and do not	represent a spec	cification.		
WATER REDUCING ADMIXTURE	%: 0.0050				
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES E	VALUATION CON	MPLETED: Yes	MATERIAL TYPE	: Polymeric Material
RESIDUALS AND IMPURITIES NOTE and impurities are considered follow (R/I) is the same as that applied to in Inventory Threshold do not need to b	ing the HPD Best Practice Guidan tentionally added substances, i.e.	ce, 10.02.17, ver	sion 1 "The thresh	old applied to Res	iduals and Impurities

OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold.

ADDITIVE 2

%: 0.0020

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD."

Drari

OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold.



This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2023-08-05 00:00:00	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: This is not facility based.	EXPIRY DATE:	

CERTIFICATION AND COMPLIANCE NOTES: Per the LEED v4.1 standard for Building Design and Construction, page 207, Concrete is a nonemitting source. No VOC testing for emissions is necessary.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Request specific mix design and HPD from your concrete supplier.





MANUFACTURER INFORMATION

MANUFACTURER: NRMCA ADDRESS: 66 Canal Center Plaza Alexandria, Virginia 22314 COUNTRY: United States WEBSITE: www.nrmca.org CONTACT NAME: James Bogdan TITLE: VP, Sustainability Initiatives PHONE: 4124204138 EMAIL: jbogdan@nrmca.org

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge. **KEY**

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) **BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this

HPD and for compliance with the HPD standard noted.